


## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5 : <b>G06F 15/21, 15/40</b>	<b>A1</b>	(11) International Publication Number: <b>WO 93/19427</b> (43) International Publication Date: 30 September 1993 (30.09.93)
(21) International Application Number: PCT/US93/02861 (22) International Filing Date: 24 March 1993 (24.03.93) (30) Priority data: 856,250                      25 March 1992 (25.03.92)        US (71) Applicant: SINGER, Gerald [US/US]; 3142 Pacific Coast Highway, Torrance, CA 90505 (US). (71)(72) Applicant and Inventor: MURPHY, Arthur, J. [US/US]; 18337 Superior Street, Northridge, CA 91325 (US). (74) Agents: RHODES, C., Robert et al.; Post Office Box 2974, Greensboro, NC 27402 (US).	(81) Designated States: AT, AU, BB, BG, BR, CA, CH, CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, LK, LU, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	

(54) Title: INTERACTIVE ADVERTISING SYSTEM FOR ON-LINE TERMINALS



(57) Abstract

There is disclosed a new system for providing advertising information into an interactive system having a plurality of remotely located terminals (12). Each terminal (12) includes a video display unit (20), logic (19) and a video storage medium such as a hard disc (18) in addition to the normal functions of the interactive system of which an ATM is an example. A remote centrally located commercial computer (10) capable of transmitting digitized signals representing commercial offerings and compressed digitized video signals for display on the video unit (20) communicates with each of the remotely located terminals (12). The compressed digitized video signals are stored on the hard disc (18) of each terminal for display on the video unit (20) at times determined by the use of the terminal (12). The user selects the services or goods offered by the terminal (12) in the conventional manner. During the waiting time inherent in the operation of the terminal (12) a high quality video advertising message is displayed on the video unit (20) from the hard disc (18). The message will last for less than 15 seconds and the user selected function will continue at the conclusion of the message. The advertising message will be changed, updated and varied directly from the central computer (10).

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	MR	Mauritania
AU	Australia	GA	Gabon	MW	Malawi
BB	Barbados	GB	United Kingdom	NL	Netherlands
BE	Belgium	GN	Guinea	NO	Norway
BF	Burkina Faso	GR	Greece	NZ	New Zealand
BG	Bulgaria	HU	Hungary	PL	Poland
BJ	Benin	IE	Ireland	PT	Portugal
BR	Brazil	IT	Italy	RO	Romania
CA	Canada	JP	Japan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SK	Slovak Republic
CI	Côte d'Ivoire	LI	Liechtenstein	SN	Senegal
CM	Cameroon	LK	Sri Lanka	SU	Soviet Union
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	MC	Monaco	TC	Togo
DE	Germany	MG	Madagascar	UA	Ukraine
DK	Denmark	ML	Mali	US	United States of America
ES	Spain	MN	Mongolia	VN	Viet Nam
FI	Finland				

INTERACTIVE ADVERTISING SYSTEM FOR ON-LINE TERMINALS

5 This invention describes a system for imposing an  
advertising message on users of remote terminals  
associated with on-line terminals and more specifically  
for displaying an advertising message in high quality  
video on cathode ray tubes located in the terminal itself  
and without interruption of the service rendered by the  
10 terminal.

In this system, use is made of the fact that all  
tasks take time even with the fastest computer on line.  
This is a natural fact when it is considered that  
hundreds if not thousands of terminals are inputting the  
15 main line computer for services and information.  
Invariably, the information or services requested by the  
user is delayed with a message that states, "working",  
"please wait" or a pleasant "one moment please".  
Sometimes a light will flash to indicate the machine is  
20 "working".

The present system uses the waiting period normally  
associated with all on-line terminals to send a high  
quality video advertising message to a ready willing and  
waiting consumer.

25 A review of the conventional automatic teller  
machines (ATM) in use to day will show a system having a  
card transport mechanism for accepting a credit card  
having a magnetic stripe and a key board for use by the  
user to input an identifying PIN number. Once this  
30 information is inputted to the system, the mainframe bank  
computer identifies the user, and allows the user to  
select from a variety of services or goods being offered  
at the terminal. The system also includes a printer for  
issuing a receipt document.

35 In the practice of the present invention, a video  
display unit such as a cathode ray tube, associated logic  
and a video recording medium such as a hard disc of the

type associated with a conventional PC computer is added to the remote terminal. The addition of the video display allows the user to view a high quality visual advertising message in addition to obtaining the goods and services from the terminal.

A commercial computer communicates with each of the remotely located terminals and is capable of delivering updated video advertising message from a sponsor for transmission to each of the terminals for display on the video display unit. The display of the message at the terminal is coordinated at the ATM or terminal device being used so that the message is displayed only during the waiting or not sending time of the mainframe computer driving the ATM or other terminal.

The commercial computer has exclusive control of the advertising message sent to the terminals and is also capable of offering other services which will be explained in connection with the preferred embodiment.

The advertisers are extremely pleased with the concept of being able to present an advertising message in high-definition, full color, full motion video directly to the user at the terminal. The person located at the terminal is a consumer, has the ability to buy and pay for services. The demographics of the consumer are perfect; all of the individual components comprising the system are within the state of the art, and the overall concept of the defined advertising system is nowhere shown or described in the art today.

The system described above would require dedicated co-axial lines between the remote commercial computer and each of the terminals in order to handle the wide bandwidth requirement of the video signal being sent to each of the terminals. The interaction between the operation of the terminal and the display of the video message during the waiting time is handled at the terminal itself. Unfortunately, the present day costs of such lines makes the per unit cost of delivering a video

advertising message to the consumer at each of the terminals economically not viable.

In the preferred embodiment of the defined system, there is described a system in which digitized video signals are transmitted over telephone lines using compressed video techniques of the same type used in telecommunication systems today. A server communicated directly with the commercial computer and is adapted to feed many terminals, all located in a given area. Additional servers may be used for other locations having many terminals. The server acts as a buffer between the commercial computer and the terminals it serves and is adapted to communicate between the individual terminals.

Each of the terminals contains the necessary functions to perform the basic operations of supplying goods or services to the user be it an ATM or any other kind of ticket or coupon dispenser. The basic interactive system includes a card transport for accepting and reading the magnetic stripe on a suitable card, a keyboard or touch screen overlay for communicating with the terminal, a ticket or voucher dispenser and possibly an audio prompting system using synthesized voice techniques.

In addition each terminal will now include a cathode ray tube as a Video display unit and preferably a hard disc for recording magnetic information. The hard disc will store the compressed video information containing the video advertising message received from the associated server. Upon command, the video advertising message will feed a decoder located in each terminal for decoding the compressed video signal before feed the video signal to the video display unit for viewing by the user.

The terminal will be operated in the conventional manner as determined by the needs of the user. During the waiting time, the video message stored in the hard disc of the terminal will be directed to the decoder and

sent to an interrupt control that will display the video message when the unit is not otherwise in use. All control functions of waiting and playing the message are located in the terminal thereby eliminating a multitude  
5 of lines back to the commercial computer.

The compressed video signals being transmitted from the commercial computer to each of the servers can be transmitted over telephone lines for storage in the hard disc thereby eliminating the need for dedicated wide  
10 bandwidth lines such as co-axial lines. In addition, updated video messages can be transmitted at low speeds during low phone use when the terminals are typically not being used thereby allowing the servers to have the latest advertising messages for storage and display.

15 It will be appreciated by those skilled in the art that once the commercial computer is tied into the individual terminal, that additional services other than delivering a video message can now be achieved. Merchandising and the sale of all items is now possible  
20 including the ability to select and order, through the keyboard, and to pay for the items selected, through the use of credit cards. In addition, coupons, tickets and promotional items can be offered and dispensed. There is not limit to the use of this new sales tool.

25 In considering the best mode of operation, the invention will be described in connection with the defined system being used in connection with a college town having a college with at least 25,000 students. It is quite obvious that a college of that size must use a  
30 mainframe computer to control the listing of students, instructors, classes, grades, registration, course screening, campus activity, payment and the general operation of the school.

For proper service to the students, at least one  
35 hundred terminals will be located on campus. Each terminal communicates directly with the college mainframe computer and can be accessed directly once the student

inserts his card containing the magnetic stripe and his PIN number.

In the typical school registration system, a student is first interviewed by an advisor and approved for registration within certain guidelines. Depending upon the sophistication of the system, the student is issued an approval slip, usually in the form of a card with a magnetic strip that identifies the student and his approval. Usually a special identification number uniquely identifying the student is established and assigned to the student. This number which uniquely identifies the student is then encoded on the stripe of the students card and usually printed on all documents issued to the student user.

The student selects an appropriate terminal, inserts his card and PIN number and is ready to access the school mainframe to complete his registration. Once the student is properly identified by the campus mainframe, all available options are available and they include by way of example, class selection, residence selection, book selection, course screening, grades, campus information, scholarships/student loans, jobs/work study, classified ads and even payment capability are included together with any other information that the school feels the student should have access to in order to complete his registration.

A complete printout of his schedule is available on the video screen for review. Each terminal is capable of laser printing in both letter size and strip format thereby giving the student a printed record of all requested information be it school requested information or commercial information such as tickets, vouchers, or coupons.

The commercial computer is located remotely to the campus and is capable of serving a plurality of different campuses throughout the country by means of telephone lines. In the preferred embodiment the commercial

computer is connected by phone lines directly to a server or a plurality of servers each located on campus. The server in turn is connected by dedicated lines with each terminal and is adapted to feed the compressed digital  
5 video information to the hard disc associated with each terminal.

The terminal is programmed to deliver a selected video advertising message from the hard disc to the decoder for display on the video display unit during the  
10 waiting time associated with the terminal while the school computer searches for the requested information. The selection of the advertising message is determined by the message recorded on the hard disc. A selection of different messages are recorded and up dated periodically  
15 and regularly over the telephone lines under the control of the commercial computer.

Further objection and advantages will be described by referring now to the accompanying drawings wherein:

Figure 1. is a block diagram of a single commercial  
20 computer and college mainframe computer feeding a single on-campus terminal;

Figure 2. is a block diagram of a remote commercial computer feeding a pair of local terminals through a server/buffer located in close proximity to the  
25 terminals;

Figure 3. is a block diagram of a commercial computer feeding different buffer/servers located in separate college towns;

Figure 4. is a block diagram of a commercial  
30 computer listing the different services being offered to the various server/buffers located in the different college towns; and

Figure 5. is a block diagram of a dual input interactive terminal.

35 The basic system to be described concerns an advertiser supported audio/video interactive terminal system to be deployed on an average college campus across



the country. Students will use the terminals for all necessary school functions such as student elections, degree audits, sports facility scheduling, campus tours, grade reporting, payment of all types of fees,  
5 registration and class selection just to name a few.

Advertisers will sponsor each student's use of the terminal by providing a changeable high quality video message for display on a video display unit associated with each terminal. Special commercial offerings, such  
10 as tickets, sales vouchers and coupons will be offered to the students when the terminals are used.

Referring now to Figure 1. there is shown a remotely located commercial computer 10 capable of feeding video and digital information to a remotely located terminal 12  
15 located on campus and accessible to students. The terminal 12 contains all the necessary functions of a terminal which includes a card transport mechanism 14, a printing device 16, a hard disc 18 including associated logic controls and a video display unit 20. A stand  
20 alone college mainframe computer 22 containing all the information associated with the college also feeds the terminal 12.

The disclosed system is technically viable only if the long lines 24 feeding the commercial computer 10 with  
25 the terminal 12 have the necessary bandwidth to handle the video signals for display on the video display 20 on the terminal. In addition the long lines 24 have to be dedicated lines such as co-axial lines interconnecting each terminal 12 with the commercial mainframe.

30 A college campus of 25,000 students would require about 100 terminals by assuming one terminal for 250 students. The number of dedicated lines needed is to insure the quality of the video display at the terminals. The offering of the video display is determined by the  
35 operating parameters of the terminal and is offered during the normal waiting period when the college

mainframe 22 is seeking information that was requested by the student.

In the usual terminal system, a signal is given during the waiting time that the computer is, "working", "holding", "searching" or even a simple, "one moment please" signal is displayed. In the disclosed system a 15 second high quality video signal containing an advertising message is displayed on the video display unit 20 together with an appropriate high quality audio message. The advantages to the advertiser of being able to deliver a high quality video display message to the ultimate user at the terminal can not be overstated.

The inventive concept has been described broadly in connection with Figure 1 using dedicated co-axial lines to obtain the necessary bandwidth for the high definition Video display. Unfortunately, the need for the wide bandwidth dedicated long lines 24 between the commercial computer 10 and the terminal 12 limits the defined system and does not represent the best mode of operation.

The preferred embodiment which is now illustrated in Figure 2 illustrates a remotely located commercial computer 30 connected by means of telephone lines 32 to server/buffer 34 located in the same town as the college mainframe 36. The server/buffer 34 feeds a plurality of terminals such as terminals 38 and 40 which are similar to terminal 12 illustrated in Figure 1. The college mainframe 36 is directly connected to each of the locale terminals 38 and 40.

All information from the commercial computer 30 is sent in digital form to the server/buffer 34. All video information is transmitted by means of compressed digitized signals for distribution to each of the terminals 38 and 40 for storage on the hard disc associated with each terminal.

By utilizing compressed digital video signal it is now possible to eliminate the need for dedicated co-axial wide bandwidth lines from the commercial computer 30 to

the individual terminals. It is now possible to use conventional dial-up telephone lines 32 which is more readily available. Dial-up telephone lines are presently being used in the videoconferencing telecommunication field where compressed digital signals are transmitted over phone lines from transmitter to receiver where the received video signals are displayed. The key to an economical video transmission system is the ability to digitize the video signal and compress the data so it can be more economically transmitted over existing lines and stored at the terminal.

A compatible expander or decoder must of course be located at each of the terminals 38 and 40 located at the receiving end to reassemble the signal for viewing. For any system to be successful it is necessary for the signal expander and compressor at the transmitter site and the receiver site be compatible as to coding, display format and transmission speed.

Present day coding and decoding devices termed codecs, are made by such companies as Compression Labs, Inc. which makes a compression-expansion device. The term codec is a generic term referring to any coder-decoder device. Other companies making a codec are NEC in Japan, GPT VideoSystems, Ltd, in the United Kingdom, and some other small companies in the United States. Because each company uses different coding and transmission speeds it is necessary for any given system to use the same coder and decoder at the transmitter and receiver site.

The codec is a sophisticated black box that makes digital video transmission possible on switched digital telephone lines and private digital networks. The codec takes any incoming analog signal such as voice, video (television signal), freeze frame video, and digital signals such as FAX or personal computer programs and converts these signals to digital form. The digital signals are compressed to a size that reduces the

transmission time from approximately 90 million bits per second (without compression) to as little as 56,000 bits per second (with compression). This mix of various signals is then sent over regular telephone lines using  
5 existing telecommunication technology and protocols. A receiving codec at the receiving server/buffer 34 reverses the process by expanding the digitized signals thereby making full motion, real time video display possible.

10 The compression technology for each company making a compressor and expander utilizes proprietary mathematical algorithms. Under the auspices of the Consultative Committee on International Telephony and Telegraphy (CCITT) a single standard for video compression for video  
15 codecs communication from 2.048 mbps, and 64 kbps has been established. This standard will provide for complete operability between video codecs and video phones worldwide. The interoperability would be similar to that existing for facsimile machines today. The new  
20 standard is being referred to as "PX64". The advent of the compression standard will allow different codecs to communicate with each other regardless of the manufacture thereby making telecommunication more accessible to all.

25 Over the last couple of years, motion video at low data rates has improved by two means:

- (1) use of new image compression technology, and
- (2) the ability to operate on two 56-kbps circuits simultaneously like a single  
30 112 kbps circuit.

The ability to operate at a higher data rate of 112 kbps together with improved image compression techniques, now allow good quality video to be delivered on 56 kbps circuits. In addition, the local telephone companies are  
35 now offering local switched 56 service nationwide.

Switched 56 service offers dial up convenience without going to a special conference net thereby

allowing video transmission to be spontaneously dialed up like ordinary telephone calls.

The server/buffer 34 receives all digitally transmitted signals and redirects them to the associated terminal 38 or 40 for storage on the hard disc 18 associated with each terminal. On command as determined by the use of the individual terminal 38 or 40, the recorded video commercial message stored on the hard disc 18 is fed to the decoder 19 to allow the stored video message to be visually displayed on the video display unit 20 on the terminal during a holding or waiting period as determined by the use of the terminal itself.

In operation, the server/buffer 34, the college mainframe 36 and all local terminals 38 and 40 will be located in the local college town while the commercial computer 30 will be located remotely communicating with the server/buffer over telephone lines 32.

The college mainframe 36 is completely independent of the commercial computer 30 and separately feeds and is responsive to each of the terminals 38 and 40. Campus users can access information regarding every aspect of campus life, receive printed schedules and forms, input data, and in general carry out many of the routine and time consuming chores of academic life. Payment can be made through the system using either a major credit card or debit card.

Terminals are located throughout the campus in dormitories, student centers, cafeterias, and office and classroom building. Public information may be accessed by anyone, but personal information is restricted, accessible only by ID card and PIN number. Each terminal is fully equipped to handle all functions that the school administration assigns to it, including the printing of hard copy when appropriate. The video display unit 20 is selectively available for displaying information from the college mainframe 36 or the commercial computer 30.

Referring now to Figure 3 there is shown a block diagram of an advertising system using a single remote commercial computer 50 feeding a plurality of server/buffers 52 and 54 located in different campus towns. Located in town #1 is a college mainframe 56 feeding a plurality of identical terminals 58 and 60. In a similar manner there is located in town #2 a college mainframe 62 feeding a plurality of identical terminals 64 and 66.

Referring now to Figure 4 there is shown a block diagram illustrating the functions of the commercial computer. In all cases the commercial computer 10 of Figure 1 is identical with 30 of Figure 2 and 50 of Figure 3. All functions which include terminal instruction, advertising instruction, coupon instruction, advertising copy, ticket sales, voucher sales and video information are transmitted in digital form to the server/buffer associated with each town. As described previously, the individual digitized information is stored on the hard disc associated with each terminal for display on the video display unit associated with each terminal.

Referring now to Figure 5 there is a block diagram of a dual input interactive terminal 70 of the type illustrated in Figures 2 and 3. The terminal is actually a convention terminal of the type used in an ATM today with the addition of a video display unit, a logic unit, a decoder and a hard disc of the type used in any PC. The terminal 70 receives a digital input signal from the commercial computer and the local college mainframe which is fed to a main logic network 72.

The digital input signal from the server/buffer is feed to the logic network 72 which feeds a video storage medium such as a hard disc 74 which stores the received commercial digital signal. By way of example this could include video display information, as well as all of the

other commercial information transmitted by the commercial computer and illustrated in Figure 4.

5 In operation, a student or user of the terminal will insert his or her card 76 containing a magnetic strip 78 into the card transport reader 80 which communicates the read information to the logic network 72. At the same time the user will input the keyboard 82 with the proper pin number which is fed to the logic network 72 for allowing access to the terminal 70.

10 At this point in time the user can select from the many options which include commercial offerings and/or school offerings. A printer encoder 84 under the control of the logic network 72 will print selected reports, issue vouchers and or selected coupons.

15 Selected information will also be feed from the logic network 72 to a buffer through an interrupt control 88 to a video display 90 for viewing by the user. At any point of time that the display is on hold, for any reason, the interrupt control 88 will signal this information to the logic network 72 which will then control the video storage 74 to read out the latest video message stored to a decoder 92 which feeds the video advertising message through the interrupt control to the video display 90 for viewing and display.

25 During the display of the video message the interrupt control 88 will indicate to the logic network 72 that the video display is in use and that no further information should be sent to the buffer 86 for display. In other words the interrupt control 88 will only allow information from either the logic unit 72 or from the decoder 92 at any given time while at the same time allowing the commercial video message to be display during any waiting or dead time as indicated by the output of the logic network 72.

35 The functions of the terminal 70 include a keyboard, logic means, hard disc, card reader, printer, computer and touch screen overlay and a video display unit such as

a cathode ray tube. The actual display of the video message on the video display unit associated with each terminal comes from the hard disc associated with each terminal. The display of the video advertising message  
5 is a function of the use of the terminal itself and the delays inherent in the terminal.



## I CLAIM:

- Claim 1. A terminal for inputting and accessing information under the control of a user comprising:
- 5 a video display unit comprising part of the display portion of the terminal;
- means for inputting changeable video advertising information to said video display unit for controlled display to a user at the terminal;
- 10 said terminal adapted to be connected to other on-line services capable of being accessed by the user;
- means under the control of a user for selecting desired information offered by the terminal;
- printing means for printing the information
- 15 selected by the user on a hard copy in man readable form, and
- means responsive to the use of the terminal for displaying said changeable video advertising information.
- 20 Claim 2. A combination according to claim 1 in which said changeable video advertising information is displayed only during pauses in the operation of the terminal.
- 25 Claim 3. A combination according to claim 1 in which said video display unit is capable of displaying full motion high definition video sequences in full color.
- 30 Claim 4. A combination according to claim 1 in which said video display unit is accessible by said other on-line services for displaying other information selected by said user.
- 35 Claim 5. A combination according to claim 1 in which said visual display unit is a cathode ray tube for visually displaying video information.

- Claim 6. A combination according to claim 1 which includes a touch screen overlay capable of being operated by the user for selecting desired information being offered by the terminal.
- 5
- Claim 7. A combination according to claim 1 which includes a keyboard capable of being operated by the user for accessing the terminal and selecting desired information being offered.
- 10
- Claim 8. A combination according to claim 1 in which said printing means includes printing in both letter format and strip format.
- 15
- Claim 9. A combination according to claim 8 in which said printer includes means for encoding information in machine readable format.
- 20
- Claim 10. A combination according to claim 1 in which all video information for display by the video display unit is transmitted as compressed digitized signals.
- 25
- Claim 11. A combination according to claim 10 in which the terminal includes a video storage medium for storing said compressed digitized video information, and means for decoding said stored video information and displaying said information on command.
- 30
- Claim 12. A combination according to claim 1 which includes:
- 35
- a magnetic stripe card reader for reading recorded information on said card to uniquely identify the card holder, and
  - a remote authorization system communicating with said card reader and responsive to said card reader

and said selecting means for generating a system access signal.

Claim 13. An interactive network system under the control of a user comprising:

- 5 a terminal comprising a video display unit, printing means, keying means, control logic, a video storage medium, decoding means and a card transport, said video display unit consisting of a high definition full color display, capable of displaying full motion video sequences.
- 10 means for inputting changeable video information in digitized compressed format for storage in said video storage medium to be displayed on the video display unit on command;
- 15 said terminal adapted to be connected to a plurality of other on-line services capable of being accessed by the user;
- means under the control of a user for selecting desired information offered by the terminal;
- 20 printing means for printing the information selected by the user on a hard copy in man readable form, and
- means responsive to the use of the terminal for decoding said recorded information for display on said video display unit.
- 25

Claim 14. A combination according to claim 12 in which said changeable video information is advertising information displayed on command only during pauses in the operation of the terminal.

30

Claim 15. A college network interactive advertising system comprising:

- a plurality of terminals located on campus each comprising a video display unit, printing means, keying means, control logic, a video storage medium, decoding means and a card transport;
- 35

said video display unit consisting of a high definition full color display, capable of displaying full motion video sequences;

5 a remotely located external commercial computer for generating a plurality of different commercial messages concerning goods and services in digital form and for generating video advertising copy in digitized compressed format,

10 at least one server located on each campus receiving an input from said commercial computer and connected to each of said terminals on said campus;

said video information in digitized format being stored on said video storage medium located in each terminal for display on the video display unit of each  
15 terminal on command;

a single college mainframe computer under the control of the local college administration connected directly to each terminal located on said campus and controlling all school information available to the user;

20 means under the control of a user for selecting desired information offered by the commercial computer and the school mainframe computer;

printing means for printing the information selected by the user on a hard copy in man readable form,  
25 and

means responsive to the use of the terminal for displaying the recorded digitized compressed video information on the visual display unit of said terminal.

30 Claim 16. A combination according to claim 15 in which said changeable video information is advertising copy displayed only during pauses in the operation of the terminal.

35 Claim 17. A combination according to claim 15 in which said video display unit consists of a high

definition full color, capable of displaying full motion video sequences.

5 Claim 18. A combination according to claim 15 in which said visual display unit is a cathode ray tube for visually displaying selected video information and commercially offered information.

10 Claim 19. A combination according to claim 18 which includes a touch screen overlay capable of being operated by the user for selecting desired information being offered.

15 Claim 20. A combination according to claim 15 which includes a keyboard capable of being operated by the user for selecting campus information and commercial information.

20 Claim 21. A combination according to claim 15 in which said printing means includes means for printing in both letter format and strip format for printing commercial information such as coupons, tickets or vouchers and campus information such as classes, grades and campus activities.

25 Claim 22. A combination according to claim 15 in which includes a video storage medium recording means for storing compressed digitized video information, and  
30 decoder means fed by said video storage medium recording means or playing said stored video information on said video display on command.

35 Claim 23. A combination according to claim 15 which includes:  
a magnetic strip card reader for reading recorded information on said card to uniquely identify the card holder,

a remote authorization system communicating with said card reader and responsive to said card reader and said selecting means for generating an authorization control signal, and

- 5 means for printing said authorization control signal on all printed information supplied to said user.

Fig. 1





Fig. 2






Fig. 3



Fig. 5





Fig. 4



**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(5) :G06F 15/21, 15/40

US CL :364/401

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 364/401 364/400,402,405,407,410; 235/375,381,380

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	JP,A, 03-204,259 (Nippon Telegraph and Telephone Corp.) 05 September 1991 See the purpose, constitution and figs. 1-3.	1-14
Y	"The Handbook", 1990, Prodigy Interactive Personal Service, pages 2-5 and 5-1 to 5-4.	13-14
A	US,A, 4,973,952 (Malec et al.) 27 November 1990 See the Abstract.	1-23
A	US,A, RE32,115 (Lockwood et al.) 15 April 1986 See the Abstract	1-23
A	US,A, 4,672,554 (Ogaki) 09 June 1987 See the Abstract.	1-23

☒ Further documents are listed in the continuation of Box C.
 ☐ See patent family annex.

* Special categories of cited documents:	* T	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
* A document defining the general state of the art which is not considered to be part of particular relevance	* X	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
* E earlier document published on or after the international filing date	* Y	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
* L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	* A	document member of the same patent family
* O document referring to an oral disclosure, use, exhibition or other means		
* P document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search

06 MAY 1993

Date of mailing of the international search report

11 AUG 1993

 Name and mailing address of the ISA/US  
 Commissioner of Patents and Trademarks  
 Box PCT  
 Washington, D.C. 20231

Authorized officer

ROBERT J. BENHARDT

Facsimile No. NOT APPLICABLE

Telephone No. (703) 305-9780

## C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US,A, 5,091,713 (Horne et al.) 25 February 1992 See col. 8, lines 1-11.	1-23
A	JP,A, 57-003,167 (Tokyo Denki KK) 08 January 1982 See the purpose + constitution.	1-23

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**